

THRONE OIL FULL SYNTHETIC 0W-30

Full Synthetic Engine Oil

Description:

It is a fully synthetic engine oil that meets the performance requirements of a new generation of engines developed for high performance engines produced by adding superior performance additives to synthetic base oils.

Usage Areas:

It is prepared for all passenger cars and light commercial vehicles.

Benefits and Advantages Provided:

- It provides excellent low-temperature capabilities for fast start-up in cold weather and fast engine wear protection.
- By means of its high viscosity index, it forms a thicker oil film at high temperatures and provides more motor protection at high speeds.
- Oxidation resistance is excellent. It reduces roughing, extends oil life and keeps engine cleaner.

Performance: It compensates the performance specifications API SN/CF; ACEA A5/B5; MB 229.3; MB 229.1; VW 504.00/507.00

Typical Properties:

Physical Property	Method	0W-30
Density, g/cm ³ , 15°C	ASTM D 4052	0,850
Kin. Viscosity, cSt, 40°C	ASTM D 445	61,4
Kin. Viscosity, cSt, 100°C	ASTM D 445	10,6
Viscosity Index	ASTM D 2270	164
Pour Point, °C	ASTM D 97	-39
Flash Point, °C	ASTM D 92	220

** The values given in the table are typical and they may vary from production to production.*